


SEC.
2

TRU BLU

TOOLS BY WOOD

MOLY brand

SUPER ALLOY GRADE



MO-LYB-DEN-UM
Shovels • Spades • Scoops


NORTHERN

WHITE ASH

HANDLES



MO-LYB-DEN-UM
ALLOY STEEL BLADES
HEAT TREATED



Moly Super Alloy Shovels, Spades, Scoops

THE WOOD SHOVEL AND TOOL COMPANY

Form No. W 105

Litho in U.S.A.

PIQUA, OHIO, U.S.A.

YOU GET THESE EXTRA VALUES WHEN YOU BUY WOOD

MOLY D HANDLE STEEL BANDED

Wood's Moly D Handle is wide and comfortable to the hand. It is stronger than ordinary handles, and won't work loose, split, or check.

Moly brand

Tough, Slow-growing Northern White Ash

Wood's handles are made of clear, straight grain second growth Northern White Ash. The timber is kiln dried in our own plant, with care to prevent case hardening or checking. The handles are graded, and the grade used in this brand is boxed in red below.







SELECTED
XX GRADE

XX GRADE

X GRADE

NO. 1 GRADE



STEEL I-BEAM HANDLE REINFORCEMENT

over 50% stronger than plain handles

Wood's steel I-Beam insert adds 50% more strength at the point where 65% of all handle breakage occurs.

The two-piece reinforcement is riveted solidly through the blade socket, but flanged around the handle above the socket, giving added strength without sacrificing resiliency or spring.

PATENTED!


YOUR CHOICE OF BLADE CONSTRUCTION

Shovels and spades are manufactured in Closed Back, Plain Back, and Open Back Types. Scoops are furnished in Open Back type only. The Closed Back construction incorporates the best features of all three types:- Smooth back, rolled shoulders, I-beam reinforcement, and straight shoulder chucked handle which makes rehandling easier.

CLOSED BACK

PLAIN BACK

OPEN BACK



This Official Mo-lyb-den-um Steel Stamping is placed on the strap or socket of every genuine Moly Shovel, Spade and Scoop.



No other Shovel manufacturer is allowed to use this official emblem which signifies the finest in Shovels, Spades and Scoops.

Super Strong • Super Tough Mo-lyb-den-um Blades

Mo-lyb-den-um, America's Great Super-Steel, has proved its superior quality in many uses. Mo-lyb-den-um Shovel Blade Steel as pioneered and developed by Wood Shovel Engineers, has proved its outstanding superiority over other blade steels in repeated tests and in hundreds of practical industrial uses. Moly Mo-lyb-den-um Steel, used in all Moly Shovels, Spades and Scoops, is a proven Alloy Shovel Steel with proper Mo-lyb-den-um content, manufactured to Wood's own special analysis and heat treated by Wood's own special process. It is definitely superior to steels of a lower Mo-lyb-den-um content used in conjunction with other alloys. No other Shovels, Spades or Scoops of any brand or make have genuine Moly Mo-lyb-den-um Steel Blades, no others can claim like quality.

Here's Why They Give You Better Service

• HARDNESS . . .

Each Moly blade is Brinell tested and is rejected if this test does not prove a hardness of 460-512. Experience has

proved that "Moly" steel, at this degree of hardness, shows the least abrasive wear and has the longest use-life.

• DUCTILITY . . .

Moly Blades have the right ductility and toughness needed to resist strains caused by pry-

ing and twisting. Each Moly Blade is guaranteed against cracking or splitting while in service.

• STRENGTH . . .

The Special Analysis Mo-lyb-den-um Blade Steel developed by The Wood Shovel and Tool Company Engineers

and used exclusively in Moly Blades, possesses a tensile strength of 200,000 to 275,000 pounds per square inch.

• LIGHTNESS . . .

Moly Blades are lightweight . . . the superior strength of Moly Steel and the proven blade designs justify the use of lighter gauge steel without sacrificing

any strength. Therefore, greater working efficiency results because more material can be handled by the shoveler with less effort.

• UNIFORMITY . . .

Moly Blades are heat treated in electrically controlled furnaces and have the same degree of hardness and toughness over the entire Blade. Furthermore, in the many thousands manu-

factured, each blade is identical in quality, design and workmanship. The same quality is furnished in twelve out of every dozen, not a percentage of twelve.


• WORKMANSHIP . . .

The reputation of The Wood Shovel and Tool Company as a manufacturer of Shovels, Spades and Scoops has been built by the use of tested and

proven materials and by highest standards of workmanship. Each Moly Shovel must be perfect in every particular; each is guaranteed UNCONDITIONALLY.




This is the MOLY brand trademark of The Wood Shovel & Tool Company. It is found only on genuine Moly shovels, spades and scoops, manufactured by The Wood Shovel & Tool Company. This trademark is registered in the U. S. Patent Office, and world-wide in all foreign countries, and its use on any other products is specifically forbidden.



No.	Size	Blade	Weight Per Doz.
2W2CB	2	9 $\frac{3}{4}$ "x12"	63 lbs.
2W4CB	4	10 $\frac{1}{4}$ "x13"	69 lbs.

Moly Replacement Handle No. VCBXX



No.	Size	Blade	Weight Per Doz.
2W2	2	9 $\frac{3}{4}$ "x12"	62 lbs.
2W4	4	10 $\frac{1}{4}$ "x13"	68 lbs.

Moly Replacement Handle No. VVXX



No.	Size	Blade	Weight Per Doz.
2W2CBT	2	9 $\frac{3}{4}$ "x12"	72 lbs.

Moly Replacement Handle No. VCBXX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED




HANDLE SHOVELS

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES




No.	Size	Blade	Weight Per Doz.
3W2CB	2	9"x12 $\frac{1}{2}$ "	60 lbs.
3W4CB	4	10"x13 $\frac{1}{2}$ "	66 lbs.

Moly Replacement Handle No. VCBXX




No.	Size	Blade	Weight Per Doz.
3W2	2	9"x12"	58 lbs.
3W4	4	10"x13"	64 lbs.

Moly Replacement Handle No. VVXX



No.	Size	Blade	Weight Per Doz.
3W2CBAPX	2	9"x12 $\frac{1}{2}$ "	69 lbs.

Moly Replacement Handle No. VCBXX




STEEL I-BEAM
REINFORCED

ROLLED SHOULDERS

**14 GA.
SQUARE POINT
CLOSED BACK**

No.	Size	Blade	Weight Per Doz.
4W2CB	2	9 ³ / ₄ "x12"	67 lbs.
4W4CB	4	10 ¹ / ₄ "x13"	73 lbs.

Moly Replacement Handle No. KCBXX




TURNED STEPS

**14 GA.
SQUARE POINT
PLAIN BACK**

No.	Size	Blade	Weight Per Doz.
4W2	2	9 ³ / ₄ "x12"	65 lbs.
4W4	4	10 ¹ / ₄ "x13"	71 lbs.

Moly Replacement Handle No. K1XX



STEEL
I-BEAM
REINFORCED

ROLLED SHOULDERS

**16 GA.
SQUARE POINT
CLOSED BACK
LIGHTWEIGHT**


No.	Size	Blade	Weight Per Doz.
4W2CBLW	2	9 ³ / ₄ "x12"	53 lbs.

Moly Replacement Handle No. LKCBXX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED

LONG HANDLE SHOVELS

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES




STEEL I-BEAM
REINFORCED

ROLLED SHOULDERS

**15 GA. ROUND POINT
REGULAR WEIGHT
CLOSED BACK**

No.	Size	Blade	Weight Per Doz.
5W2CB	2	9" x12"	59 lbs.
5W4CB	4	9 ³ / ₄ "x13"	65 lbs.

Moly Replacement Handle No. KCBXX




TURNED STEPS

**14 GA. ROUND POINT
REGULAR WEIGHT
PLAIN BACK**


No.	Size	Blade	Weight Per Doz.
5W2	2	9" x12"	60 lbs.
5W4	4	9 ³ / ₄ "x13"	66 lbs.

Moly Replacement Handle No. K1XX



No.	Size	Blade	Weight Per Doz.
5W2CBLW	2	8 ⁷ / ₈ "x11 ³ / ₄ "	53 lbs.

Moly Replacement Handle No. LKCBXX



No.	Size	Blade	Weight Per Doz.
5W2APLW	2	8 ⁷ / ₈ "x11 ³ / ₄ "	52 lbs.

Moly Replacement Handle No. LKPC1XX



No.	Size	Blade	Weight Per Doz.
5W2CBAPLW	2	8 ⁷ / ₈ "x11 ³ / ₄ "	53 lbs.

Moly Replacement Handle No. LKCBXX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED


LONG HANDLE SHOVELS

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES



No.	Size	Blade	Weight Per Doz.
5W2LW	2	8 ⁷ / ₈ "x11 ³ / ₄ "	52 lbs.

Moly Replacement Handle No. LK1XX



No.	Size	Blade	Weight Per Doz.
5W2AP	2	9"x12"	60 lbs.


Moly Replacement Handle No. KPC1XX



No.	Size	Blade	Weight Per Doz.
5W2CBAP	2	9"x12"	59 lbs.

Moly Replacement Handle No. KCBXX

Long Handle Mucker Shovels



No.	Size	Blade	Weight Per Doz.
5W2CBMAP	2	9"x12"	59 lbs.

Moly Replacement Handle No. 42LCBXX



No.	Size	Blade	Weight Per Doz.
5W2MAP	2	9"x12"	60 lbs.

Moly Replacement Handle No. 42L1XX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED

LONG HANDLE SHOVELS

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES

Long Handle Mucker Shovels



No.	Size	Blade	Weight Per Doz.
4W2CBM	2	9 ³ / ₄ "x12"	67 lbs.

Moly Replacement Handle No. 42LCBXX



No.	Size	Blade	Weight Per Doz.
4W2M	2	9 ³ / ₄ "x12"	65 lbs.


Moly Replacement Handle No. 42L1XX



STEEL I-BEAM
REINFORCED
RIVETED STEPS
**14 GA.
DRAIN SPADE
CLOSED BACK**

No.	Size	Blade	Weight Per Doz.
701WCB	14"	5 $\frac{3}{4}$ "x14"	55 lbs.
702WCB	16"	5 $\frac{3}{4}$ "x16"	58 lbs.
703WCB	18"	5 $\frac{3}{4}$ "x18"	61 lbs.


Moly Replacement Handle No. VCBXX



RIVETED STEPS
**14 GA.
DRAIN SPADE
PLAIN BACK**

No.	Size	Blade	Weight Per Doz.
701W	14"	5 $\frac{3}{4}$ "x14"	54 lbs.
702W	16"	5 $\frac{3}{4}$ "x16"	57 lbs.
703W	18"	5 $\frac{3}{4}$ "x18"	60 lbs.

Moly Replacement Handle No. V2XX



MOLY STEEL
D GRIP
FULL LENGTH
FRONT AND
STRAPS
BACK
TURNED STEPS
**12 GA.
NURSERY SPADE
PLAIN BACK**

No.	Size	Blade	Weight Per Doz.
6W2N	2	7 $\frac{1}{4}$ "x13"	82 lbs.

Moly Replacement Handle No. S2XX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED



HANDLE SPADES

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES



STEEL I-BEAM
REINFORCED
RIVETED STEPS
**14 GA.
DITCH OR POST
SPADE
CLOSED BACK**

No.	Size	Blade	Weight Per Doz.
711WCB	14"	6"x14"	58 lbs.
712WCB	16"	6"x16"	62 lbs.
713WCB	18"	6"x18"	65 lbs.


Moly Replacement Handle No. VCBXX



RIVETED STEPS
**14 GA.
DITCH OR POST
SPADE
PLAIN BACK**

No.	Size	Blade	Weight Per Doz.
711W	14"	6"x14"	57 lbs.
712W	16"	6"x16"	61 lbs.
713W	18"	6"x18"	64 lbs.

Moly Replacement Handle No. V2XX



TURNED STEPS
**14 GA.
GARDEN SPADE
PLAIN BACK**

No.	Size	Blade	Weight Per Doz.
6W2	2	7 $\frac{1}{4}$ "x12"	61 lbs.

Moly Replacement Handle No. V2XX



No.	Size	Blade	Weight Per Doz.
9W2CB	2	10"x12"	59 lbs.

Moly Replacement Handle No. VCBXX




No.	Size	Blade	Weight Per Doz.
9W2	2	10"x12"	58 lbs.

Moly Replacement Handle No. V1XX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED


D HANDLE SHOVELS & SCOOPS

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES



No.	Size	Blade	Weight Per Doz.
W172C	2	13½"x14½"	63 lbs.
W174C	4	14½"x15½"	69 lbs.

Moly Replacement Handle No. V3XX



No.	Size	Blade	Weight Per Doz.
W172TC	2	13½"x14½"	63 lbs.
W174TC	4	14½"x15½"	69 lbs.


Moly Replacement Handle No. V3XX



No.	Size	Blade	Weight Per Doz.
OW4	4	11"x13"	65 lbs.
OW6	6	12"x14"	69 lbs.


Moly Replacement Handle No. V3XX

(IF LONG HANDLES ARE REQUIRED
PREFIX REGULAR NUMBER WITH LETTER "L".)



No.	Size	Blade	Weight Per Doz.
W82	2	11" x 14 1/2"	64 lbs.
W84	4	11 3/4" x 15 1/2"	68 lbs.
W86	6	12 1/4" x 16 1/4"	73 lbs.

Moly Replacement Handle No. V3XX



No.	Size	Blade	Weight Per Doz.
W138	8	14" x 17"	78 lbs.
W140	10	14 3/4" x 18"	82 lbs.
W142	12	15 1/4" x 19"	86 lbs.

Moly Replacement Handle No. V3XX



No.	Size	Blade	Weight Per Doz.
W138Z	8	14 1/2" x 17"	78 lbs.
W140Z	10	15" x 18"	82 lbs.

Moly Replacement Handle No. V3XX

MO-LYB-DEN-UM STEEL BLADES — HEAT TREATED




HANDLE SCOOPS

SELECTED XX GRADE NORTHERN WHITE ASH HANDLES



No.	Size	Blade	Weight Per Doz.
W82RP	2	11" x 15"	59 lbs.

Moly Replacement Handle No. V3XX




No.	Size	Blade	Weight Per Doz.
W135D	5	11 1/4" x 15 1/2"	67 lbs.

Moly Replacement Handle No. V3XX



No.	Size	Blade	Weight Per Doz.
W820C	2	10 1/2" x 14 1/2"	57 lbs.

Moly Replacement Handle No. 0C3XX



Upper: Wheelbarrow trays and legs, ready to bundle and ship to your order.

Lower: Post hole digger stock, ready to ship to your order.

Wood Carries Stock for prompt shipment.

Wood carries finished stocks of wheelbarrows, post hole diggers, earth augers, etc. Shovel blades and handles are held in stock for fast assembly and shipment to order.

Above: Shovel handles for assembly with the proper blades to your order.

Here's What It Does For You!

1. **Reduces your inventory investment.** You make up your requirements of shovels, wheelbarrows, post hole diggers, earth augers, etc., in MIXED CARS.

TRU BLU

2. **Increases turnover.** You fill in stock throughout the year, in MIXED CARS.

TRU BLU

3. **Reduces shorts and back orders.** You keep better balanced stocks with more frequent fill-ins from the factory.

TRU BLU


4. **Cuts cancellations and increases sales.** You pick up business your competitors short or back order; don't lose orders because you can't ship.

TRU BLU


5. **YOU MAKE MORE MONEY.** You tie up less capital in stock, and you turn it faster.



Steel
Moly D




Railroad
Malleable D



Type E
Pein D



West Virginia
Pein Malleable D



Rubber Pein
Malleable D




Rubber Pein
Aluminum D


Optional D Handles Furnished To Your Order

REPLACEMENT HANDLES

FOR CLOSED BACK AND OPEN BACK SHOVELS



VCBXX 22 1/2" Moly D handles for closed back shovels and spades.




V3XX 30" Moly D handles for open back coal shovels and scoops.




KCBXX Regular Wt. } 43" long handle for closed back shovels and spades.
LKCBXX Lightweight }

Note: Replacement handles for Moly closed back and open back blades come with steel I-Beam reinforcement as standard. If the I-Beam is NOT WANTED, order by catalog number, and specify NO I-BEAM.


FOR PLAIN BACK SHOVELS



V1XX 30" Moly D handle for plain back shovels.



V2XX 30" Moly D handles for plain back spades.



K1XX Regular Wt. } 54" long handle
LK1XX Lightweight } 51" " "
for plain back shovels.

Always order the correct replacement handle by the catalog number. The wrong handle will spoil the balance of the tool.